



## CORRIGENDUM-VI

Ref: Tender Enquiry No.: **TPCODL/P&S/NEW DT-UPTO 63/100000011/20-21**  
Corrigendum/006

Dated: 20.05.2021

Corrigendum to open Tender No. TPCODL/P&S/NEW DT-UPTO 63/100000011/20-21 for One Year Rate Contract for A Period of 1 Year for Supply of New Star Rated Distribution Transformers of Different Ratings (11 / 0.23 – 0.4 kV, 16 kVA to 63 kVA, Al.) from Reputed Manufactures Having Valid BEE Authorization to Use Star Label for Their Offered Product

**Prospective Bidders are requested to note the following changes with reference to above referred Tender Document read with all its subsequent Corrigenda.**

Sl. No.	Clause No.	Old Provision	Revised Provision
1	1.3	<b>Calendar of Events</b>  Last date and time of payment of Tender fees through RTGS/NEFT to get link for participation in E-Tender portal 15.04.2021 up to 15:00 Hours  Last date and time of receipt of Bids through ARIBA E-Tender portal  28.05.2021	<b>Calendar of Events</b>  Last date and time of payment of Tender fees through RTGS/NEFT to get link for participation in E-Tender portal  28.05.2021 up to 20:00 Hours  Last date and time of receipt of Bids through ARIBA E-Tender portal  05.06.2021
2	1.1	EMD Amount:  Rs. 7.26 Lakh	EMD Amount:  Rs. 3.00 Lakh
3	1.7 (1)	<b>Qualification Criteria</b>  The bidder should have an average annual turnover of Rs. 25 crores in last three financial years. Copy of audited Balance Sheet and P&L Account to be submitted in this regard.	<b>Qualification Criteria</b>  The bidder should have an average annual turnover of Rs. 10 crores in last three financial years. Copy of audited Balance Sheet and P&L Account to be submitted in this regard.
3	2.1	<b>Price Variation:</b>  Prices shall remain Firm during the entire contract period	<b>Price Variation:</b>  Price shall be based on Price Variation Formula issued by EEMA subject to following conditions.



			Price Offered post RA & negotiation shall be the base Price as on the Date of issue of RC. Price Variation shall be considered on the Date of Issue of RO (Release Order) considering the prevailing raw material prices valid as per IEEMA Circular on the Date of RO. This will remain fixed during execution of the said RO. Ceiling for positive variation from RC Price shall be 5%, whereas there shall be no ceiling on negative variation of Prices.
<b>4</b>	<b>Annexure-1</b>	<b>Schedule of Item</b>	<b>Schedule of Item</b>  Revised Schedule of Item (Annexure-1) is attached with this corrigendum. Bidder shall submit their price bid as per revised Annexure-1.

All other terms and conditions of the above tender will remain same.

**By Order**

**Sr. GM (Purchase & Store), TPCODL**